

Potenza:
45 W

3
Velocità

Timer

Fisso
Oscillante



Video dimostrativo
Demonstration movie

PARETE



PARETE di JOHNSON Elettrodomestici, incorpora tutte le caratteristiche che si aspettano da un ventilatore da parete, abbinando componenti di qualità e durabilità.

Il telecomando a radiofrequenza permette di controllare tutte le funzioni stando comodamente seduti. Ciò facilita l'uso dell'apparecchio anche se montato a parete in posizione alta o scomoda da raggiungere.

E' dotato di un motore da 45 W che permette di generare un flusso potente e costante di aria fresca.

Il design elegante permette l'installazione dell'apparecchio in qualunque tipo di ambiente.

La gabbia a maglie intrecciate del diametro di 43cm. e la ventola a 5 pale permettono di ridurre il rumore emesso dal ventilatore durante il funzionamento.

PARETE è dotato di un timer regolabile da 30 minuti fino ad un massimo di 7 ore e 30 minuti, 3 velocità di ventilazione e l'aria prodotta può essere orientata verso qualsiasi direzione, grazie alla funzione oscillante e all'inclinazione regolabile.



PARETE by JOHNSON Appliances, incorporates all the features you expect from a wall fan, combining quality components and durability.

The radio frequency remote control allows you to control all functions from the comfort of your seat. This facilitates the use of the device even if mounted on the wall in a high or uncomfortable position to reach.

It is equipped with a 45 W motor that allows you to generate a powerful and constant flow of fresh air.

The elegant design allows the appliance to be installed in any type of environment.

The cage with intertwined meshes with a diameter of 43cm. and the 5-blade fan reduce the noise emitted by the fan during operation.

PARETE is equipped with an adjustable timer from 30 minutes up to a maximum of 7 hours and 30 minutes, 3 fan speeds and the air produced can be oriented in any direction, thanks to the oscillating function and adjustable inclination.



8 008523 013288

GIFT BOX		MASTER CARTON			PALLET	CONTAINER		
Size (mm)	Kg	Size (mm)	Pcs	Kg	Pcs	20	40	40HQ
420 x 160 x 390	2.4	420 x 160 x 390	1	2.4	65	1115	2230	2600



SCHEDA PRODOTTO
PRODUCT DETAILS

PARETE

FAMILY	VENTILATION
CODE	PAR
COD. EAN	8008523013228

CARATTERISTICHE	FEATURES
-----------------	----------

Potenza 45W
Alimentazione 220-240V~50/60Hz
Ventilatore da muro con telecomando
Ø 43cm
3 velocità
5 pale
Telecomando
Fisso o oscillazione orizzontale
Inclinazione regolabile
Timer 30 min– 7.30 min
Spia luminosa
Classe climatica T



Portata massima	m³/min	66,49
Potenza assorbita	W	42,18
Valore di servizio	m³/min (W)	1,58
Standard di misurazione per il valore di servizio	IEC 60879:1986 (corr. 1992)	
Consumo energetico in standby	W	0,39
Livello di potenza sonora	dB (A)	54,34
Massima velocità dell'aria	Metri/sec	3,08
Consumo di elettricità annuo	kWh/a	13,93

Dimensioni prodotto: 430 x 290 x 550 mm
Dimensioni imballo: 420 x 160 x 390 mm
Peso prodotto: 2 Kg
Peso imballo + prodotto: 2.4 Kg
Pezzi per master: 1 pz
Dimensioni master: 420 x 160 x 390 mm
Peso master: 2.4 Kg
Pezzi per pallet: 65 pz
Altezza pallet: 190 cm
Peso pallet: 170 Kg
Container 20: 1115 pz
Container 40: 2230 pz
Container 40HQ: 2600 pz
Codice certificazione: W-FW1605F-R

Power 45W
Power supply 220-240V~50/60Hz
Wall fan with remote control
Ø 43cm
3 speeds
5 blades
Remote control
Fixed or horizontal oscillation
Adjustable inclination
Timer 30 min– 7.30 min
Indicator light
Climate class T



Maximum capacity	m³/min	66,49
Power absorbed	W	42,18
Service value	m³/min (W)	1,58
Measurement standards for service value	IEC 60879:1986 (corr. 1992)	
Standby power consumption	W	0,39
Sound power level	dB (A)	54,34
Maximum air speed	Metri/sec	3,08
Annual electricity consumption	kWh/a	13,93

Product dimensions: 430 x 290 x 550 mm
Package dimensions: 420 x 160 x 390 mm
Product weight: 2 Kg
Packaging weight + product: 2.4 Kg
Master pieces: 1 pcs
Master size: 420 x 160 x 390 mm
Master Weight: 2.4 Kg
Pieces for pallet: 65 pcs
Height pallet: 190 cm
Weight pallet: 170 Kg
Container 20: 1115 pcs
Container 40: 2230 pcs
Container 40HQ: 2600 pcs
Certification Code: W-FW1605F-R



